





























COMPUTER SOLUTIONS












OMECA

ZEFIRO											
	Kw	HP	Volt/Hz	Bar	L/Min	L/Min @ 5Bar	Liters		dB(A)	cm	Kg
ZEFIRO.70	1	1,4	230/50	7	100	70	24	1	66	40 x 40 x 65	30
ZEFIRO.70.E	1	1,4	230/50	7	100	70	24	1	66	40 x 40 x 65	35
ZEFIRO.70.S	1	1,4	230/50	7	100	70	24	1	62	41 x 63 x 79	35
ZEFIRO.70.ES	1	1,4	230/50	7	100	70	24	1	62	52 x 63 x 79	40
ZEFIRO.100	1	1,4	230/50	7	150	100	24	1+1	66	40 x 40 x 65	35
ZEFIRO.100.E	1	1,4	230/50	7	150	100	24	1+1	66	40 x 40 x 65	35
ZEFIRO.100.S	1	1,4	230/50	7	150	100	24	1+1	62	41 x 63 x 79	35
ZEFIRO.100.ES	1	1,4	230/50	7	150	100	24	1+1	62	52 x 63 x 79	40
ZEFIRO.130	1	1,4	230/50	7	200	130	24	2	67	40 x 40 x 65	30
ZEFIRO.130.E	1	1,4	230/50	7	200	130	24	2	67	40 x 40 x 65	35
ZEFIRO.130.S	1	1,4	230/50	7	200	130	24	2	63	41 x 63 x 79	35
ZEFIRO.130.ES	1	1,4	230/50	7	200	130	24	2	63	52 x 63 x 79	40

ERMES											
	Kw	HP	Volt/Hz	Bar	L/Min	L/Min @ 5Bar	Liters		dB(A)	cm	Kg
ERMES.150	1,1	1,5	230 / 50	7	200	150	50	2+1	70	40 x 75 x 75	47
ERMES.150.E	1,1	1,5	230 / 50	7	200	150	50	2+1	70	40 x 75 x 75	52
ERMES.150.S	1,1	1,5	230 / 50	7	200	150	50	2+1	62	50 x 76 x 108	53
ERMES.150.ES	1,1	1,5	230 / 50	7	200	150	50	2+1	62	50 x 76 x 108	58
ERMES.225	1,8	2,5	230 / 50	7	300	225	50	3+1	72	40 x 75 x 75	50
ERMES.225.E	1,8	2,5	230 / 50	7	300	225	50	3+1	72	40 x 75 x 75	52
ERMES.225.S	1,8	2,5	230 / 50	7	300	225	50	3+1	64	50 x 76 x 108	56
ERMES.225.ES	1,8	2,5	230 / 50	7	300	225	50	3+1	64	50 x 76 x 108	61
ERMES.300	2x1,1	2x1,5	230 / 50	7	400	300	100	4+2	71	40 x 120 x 75	97
ERMES.300.E	2x1,1	2x1,5	230 / 50	7	400	300	100	4+2	71	40 x 120 x 75	107
ERMES.300.S	2x1,1	2x1,5	230 / 50	7	400	300	100	4+2	63	76 x 120 x 90	109
ERMES.300.ES	2x1,1	2x1,5	230 / 50	7	400	300	100	4+2	63	76 x 120 x 90	119
ERMES.450	2x1,8	2x2,5	230 / 50	7	600	450	100	6+2	73	40 x 120 x 75	102
ERMES.450.E	2x1,8	2x2,5	230 / 50	7	600	450	100	6+2	73	40 x 120 x 75	112
ERMES.450.S	2x1,8	2x2,5	230 / 50	7	600	450	100	6+2	65	76 x 120 x 90	114
ERMES.450.ES	2x1,8	2x2,5	230 / 50	7	600	450	100	6+2	63	76 x 120 x 90	124

ATHENA											
	Kw	HP	Volt/Hz	Bar	L/Min	L/Min @ 5Bar	Liters		dB(A)	cm	Kg
ATENA.100	1	1,5	230 / 50	7	150	100	30	1+1	57	40 x 80x 57	67
ATENA.100.E	1	1,5	230 / 50	7	150	100	30	1+1	57	40 x 80x 57	82
ATENA.150	1,1	1,5	230 / 50	7	200	150	30	2	57	40 x 90x 57	71
ATENA.150.E	1,1	1,5	230 / 50	7	200	150	30	2	57	40 x 90x 57	76
ATENA.225	1,8	2,5	230 / 50	7	300	225	30	3	57	40 x 90x 57	80
ATENA.225.E	1,8	2,5	230 / 50	7	300	225	30	3	57	40 x 90x 57	85

ARES											
	Kw	HP	Volt/Hz	Bar	L/Min	L/Min @ 5Bar	Liters		dB(A)	cm	Kg
ARES.100	1	1,5	230 / 50	7	150	100	50	1+1	52	50 x 92 x 82	78
ARES.100.E	1	1,5	230 / 50	7	150	100	50	1+1	52	50 x 92 x 82	83
ARES.150	1,1	1,5	230 / 50	7	200	150	50	2+1	52	50 x 92 x 82	88
ARES.150.E	1,1	1,5	230 / 50	7	200	150	50	2+1	52	50 x 92 x 82	93
ARES.225	1,8	2,5	230 / 50	7	300	225	50	3+1	52	50 x 92 x 82	90
ARES.225.E	1,8	2,5	230 / 50	7	300	225	50	3+1	52	50 x 92 x 82	95

Key::

- .E : Compressor with dryer
- .S : Compressor silenced
- .SE: Compressor with dryer and silenced

ZEFIRO | ERMES | ATHENA | ARES





20835 Muggiò (MB) - Italy
Via dell'Artigianato, 3/5/7
Tel. +39 039.79.37.40 r.a.
Fax +39 039.27.80.689
E-mail: omecsnc@libero.it
Web site: www.omec-snc.com
Skype: omecsnc